## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the patent of: Attorney Docket No. 2267.398US03

Rauworth et al. Confirmation No. 6639

Patent No.: 7,156,259 Application No.: 09/960,606

Issued: January 2, 2007 Filed: September 21, 2001

For: BLOW MOLDED DRUM

## REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR § 1.322

Attention Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

It is respectfully requested that a Certificate of Correction be issued to correct the errors specified in the attached duplicate copies of Certificate of Correction Form PTO-1050.

It is believed that the errors are on the part of the Patent and Trademark Office, and therefore no fee is due in relation to this matter in accordance with the provisions of 37 CFR § 1.322. However, please charge any fee due to Deposit Account No. 16-0631 to ensure prompt issuance of a Certificate of Correction.

Respectfully submitted.

Douglas J. Christensen Registration No. 35,480

Customer No. 24113
Patterson, Thuente, Skaar & Christensen, P.A.

4800 IDS Center 80 South 8th Street

Minneapolis, Minnesota 55402-2100

Telephone: (612) 349-3001

PTO/SB/44 (09-07)

Approved for use through 08/31/2010. OMB 0651-0033

U.S. Patent and Trademark Office, U.S. DePARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of Information unless it displays a valid Office Quick
(Also Form

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. :7,156,259 APPLICATION NO. :09/960,606

ISSUE DATE :January 2, 2007

INVENTOR(S) :Barry L. Rauworth, John Hennen

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, Line 3, replace "handing" with "handling"

Column 4, Line 35, after "50" please insert "the drum insert 54, and"

MAILING ADDRESS OF SENDER (Please do not use customer number below):

"[Alty Name]"
PATTERSON, THUENTE, SKAAR & CHRISTENSEN, P.A.
4800 IDS CENTER
80 SOUTH EIGHTH STREET
MINNEAPOLIS. MN 55402-2100

This collection of information is required by 37 CPR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the gubble which is to file (and by the USPT 00 process) an application. Confidentiality is operated by 36 U.S. C. 1.22 and 37 CPR 1.141. This collection caped to take 1.0 hour to complete, including alphering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time your experts to complete the information special based on the submitted of the complete the complete the complete the complete the submitted based on the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you expert to the Chief or manufacture of the complete th